



## 'Online Auction of Used Food Machinery'

### **ONLINE AUCTION - SALE DATE Tuesday 19 February 2019**

*Phoenix Pet Foods Ltd (In Vol Liq) and other sellers*

**Auction Closing Begins: 1pm Tuesday, 19 February 2019  
(Local Time)**



**'Sale held in Conjunction with Industrial Auctions'**

**For further details please contact:**

E-Auctions

T: +353 45 883 554

E: [kgammell@E-Auctions.ie](mailto:kgammell@E-Auctions.ie)

[www.E-Auctions.ie](http://www.E-Auctions.ie)

# **IMPORTANT NOTICES TO PURCHASERS**

## **Location**

Summerhill, Co. Meath, A83 XE40, Ireland.

## **Viewing**

9am-4pm Tuesday 12 February 2019.

## **Bidding**

Bidding will take place on **[www.industrial-auctions.com](http://www.industrial-auctions.com)**. Please visit this website to register / bid.

## **Payment**

Sale is conducted in EUROS. The balance of any account must be paid for **no later than Friday 22 February 2019**.

Buyers will be notified of invoice totals from Industrial Auctions / E-Auctions by Wednesday 20 February 2019. Auctioneer must be in receipt of cleared payment in full before assets can be released for collection.

## **Collection of Assets**

Collection of Assets is scheduled for Wed 27 February and Thurs 28 February and by appointment with Auctioneer.

## **Buyers Premium**

18% Buyer's Premium is charged on ALL LOTS SOLD; (23% VAT is applicable on the buyer's fee of 18%).

## **Value Added Tax**

All assets will be sold exclusive of VAT, which will be added to purchaser's invoices at the standard Irish rate of 23% VAT. VAT may be waived to overseas purchasers depending on information provided by purchasers. Please contact the Auctioneers for further details.

## **Job Name**

Phoenix Pet Foods Ltd (In Voluntary Liquidation) and other sellers.

## **Auctioneers**

Equipment Auctions Ltd t/a Eauctions will conduct this auction in association with Industrial Auctions BV.

## **All Lots are sold subject to the Terms and Conditions of Sale**

1. All lots - which term shall include all forms of personal property whatsoever and property fitted or affixed to land - are tendered for sale subject to these Conditions, no variation of which shall be valid unless made in writing and signed by a person duly authorised by the Auctioneer.

2. In these Conditions "the Auctioneer" shall be the company or firm or person, or his or their servant or agent, who has agreed to auction any lot; "the Seller" shall be the company or firm or person who has agreed to sell any lot; "the Buyer" shall be any company, firm or person whose bid is accepted by the Auctioneer; and "Bidder" shall mean a person who bids for any lot whether on his own behalf (in which case he shall be the Buyer if his bid is accepted by the Auctioneer) or on behalf of a third party (in which case the third party shall be the Buyer if his bid is accepted by the Auctioneer).

3. By making a bid for any lot, the Bidder agrees to be bound by these Conditions, and further warrants that he has due authority and capacity to make the bid and binds both himself and any employer or principal to honour any contract resulting there from. Any bid shall be deemed to be an offer by the Bidder either on his own behalf or on behalf of a Buyer to purchase any lot tendered upon these Conditions alone.

4. The sale of any lot shall be concluded and binding at the moment when the lot is knocked down. The highest bid will be accepted save in exceptional circumstances, such circumstances to be determined by the Auctioneer whose decision shall be unchallengeable.

5. The Auctioneer shall have the sole and exclusive right at the site of the auction to determine all matters whatsoever concerning the conduct and/or effect of any auction sale or purported sale and without prejudice to the generality of the foregoing, he shall be entitled to resolve disputes between bidders, to reject any bid, to withdraw, divide or consolidate any lot or lots and he will be entitled to bid on the Seller's behalf. He will further be entitled to require proof of identity and /or of authority from any bidder.

6. The Buyer must forthwith identify himself and any principal or employer, together with appropriate means of identification, to the Auctioneer, his servants or agents. The total sale price, less any such sum, must be paid to the Auctioneer at his office or elsewhere as he may direct. Payment in full shall be deemed not to have occurred until any negotiable instrument has been honoured in full (or cash has been paid) such payment to be made within the time specified in the sale notes.

Time of payment shall be of the essence. The Buyer shall not be entitled to remove any lot from its position at the time of the sale until the purchase price of that of that and any other lot purchased at the auction has been paid in full and in default of payment as aforesaid the Auctioneer shall have a lien upon all lots purchased by the Buyer during the same auction and shall be entitled to rescind the sale in respect of any lot or lots for which full payment is not made in due time, forfeit any deposit paid in respect of them and resell the same without any right of compensation to the Buyer. The Auctioneer shall also be entitled to charge interest upon any unpaid balance at the rate of 1 per cent above Base Rate from time to time or may be entitled to charge interest, whichever is the greater. The Auctioneer shall also be entitled to continue to charge for storage arising after the time for removal at the rate of 25 per cent per annum of the sale price until he elects to rescind the sale, if at all, which election he may make at any time after such non-payment. In the event of non-payment by the due date, E-Auctions will re-sell and we understand that we will be held responsible for any costs or shortfall which may arise.

7. The title to any lot shall remain with the Seller until the full sale price and any storage and interest charges have been paid to the Auctioneer, but the risk of damage to or loss whatsoever cause and in whatsoever circumstances shall be transferred to the Buyer upon the sale.

8. The Auctioneer warrants that he will only sell lots which he believes to be owned by the Seller or to which the Seller will be able to pass a good title but should it transpire that the Seller's title to any lot is defective or that the Seller cannot pass a good title to the Buyer, the Auctioneer shall be under no obligation to the Buyer, other than to use his best reasonable endeavors (short of litigation), to procure the transfer of a good title to the Buyer and to assist the Buyer in exercising any remedies that he may have against the Seller.

9. The Buyer shall remove any lot for which he has paid in full plus other charges, if any, by the time for removal, which shall be either the time for payment or the time stated in the any sale notes of the Auctioneer, whichever shall be removed without the Auctioneer's express written consent while the Auction is continuing. The Buyer shall be responsible for the removal of the articles and such removal must be carried out safely and lawfully. Flame cutting, the use of explosives or any other potentially hazardous or inflammatory process shall not be permissible at the site without express written consent. The Buyer agrees to insure against and to indemnify the Auctioneer and the Seller against any and all claims arising in respect of injury or damage to person or property whether real or personal, caused by himself, his servants or agents of his principals or employer.

### **10. Exclusion of Liability**

10.1 As this is a sale by auction and the Auctioneer has no historical knowledge of any lot sold by the Auctioneer, all conditions and warranties as to the condition, quality, description or fitness for any purpose of any lot are expressly excluded and neither the Seller nor the Auctioneer will be bound by or liable for any representation of any kind in relation to any lot.

10.2 Neither the Seller nor the Auctioneer shall have any liability for matters outside of their reasonable control.

10.3 Neither the Seller nor the Auctioneer shall have any liability to the Buyer or a Bidder for any:

10.4.1 Consequential losses (including loss of profits and/or damage to goodwill); and/or

10.4.2 Economic and/or other similar losses; and/or

10.4.3 Special damages and indirect losses; and/or

10.4.4 Business interruption, loss of business, contracts and/or opportunity.

10.5 Each of the limitations and/or exclusions in these Conditions shall be deemed to be repeated and apply as a separate provision for each of:

10.5.1 Liability for breach of contract;

10.5.2 Liability in tort (including negligence);

10.5.3 Liability for breach of statutory duty except for clauses 10.8 and 10.9 below which shall apply once only in respect of all the said types of liability.

10.6 Any potential Buyer and/or Bidder should rely solely and exclusively upon his own inspection of any lot and should not treat statements made in sale particulars or before or during the Auction by the Seller or the Auctioneer either as representations or to be relied upon.

10.7 No vehicle is warranted or held out to be roadworthy and no lot is warranted or held out to be merchantable or safe for use or complying with statutory requirements for use, display or movement. The Auctioneer, his servants and agents have no authority to make representations.

10.8 The liability of the Auctioneer or the Seller to the Buyer or a Bidder shall be limited to the price paid by the Buyer for the lot in question provided also that the total collective liability of the Seller and the Auctioneer to the Buyer or a Bidder shall not exceed the price paid by the Buyer for the lot in question.

10.9 To the extent that any liability of the Seller or the Auctioneer would be met by any insurance of the Seller or the Auctioneer, the liability of the Seller or the Auctioneer shall be extended to the extent that such liability is met by such insurance.

10.10 If any individual exclusion or limitation of liability under this clause 10 is held to be unreasonable or unenforceable the remaining provisions of this clause 10 and these conditions of sale shall remain in full force and effect.

10.11 Nothing in these Conditions shall exclude or limit the liability of the Seller and the Auctioneer for death or personal injury due to its negligence or any liability which is due to their fraud or any other liability which it is not permitted to exclude or limit as a matter of law.

11. The Buyer hereby undertakes to ensure that any lot he purchases will be used, moved or displayed whether at the site of the auction or elsewhere only when he has ensured that such use and/or movement and/or display is lawful and safe.

12. It is expressly brought to the Bidder's and/or Buyer's attention that, at the time of sale, any item of plant, machinery or equipment contained in the lot(s) may not necessarily comply with the Health and Safety at Work or any other Act or Acts or Regulations thereunder governing the use of that plant, machinery or equipment in a working environment. Buyers of any such plant, machinery or equipment are hereby required to ensure that the use of any such at a place of work within the Republic of Ireland does not contravene such relevant Act or Regulation thereunder applicable thereto.

13. **TOXIC CHEMICALS AND DANGEROUS SUBSTANCES.** It is expressly brought to the attention of Buyers and/or Bidders that certain types of plant, or main service installations could contain blue or white asbestos, dangerous chemicals etc., which if not handled correctly during their removal from the site could be in breach of Health and Safety at Work, or any other current legislation covering the use of such substances in a working environment.

14. Where any lots or lots have been sold by count, weight or measurement, no allowance can in any case be made nor shall the Auctioneer or Seller be answerable for any deficiency in quantities, weights or measures, unless claimed for before the Buyer, his agent, carrier or man employed by him, has removed his lot or lots from the premises.

15. Should a Buyer, by himself, his servants or agents cause damage in any way to the site of the auction or damage to or loss of any lot thereat, the Auctioneer shall be entitled to exercise a lien in respect of any and all lots purchased by the Buyer until such damage or loss has been paid for in full, whether or not the lots or any of them have been paid for in full, such loss and damage to be assessed by the Auctioneer whose decision shall be final and unchallengeable. The Auctioneer's assessed sum shall be paid by the Buyer upon receipt of invoice therefore and payment shall be made forthwith, time being of the essence.

16. Neither the Auctioneer nor the Seller are to be responsible for any personal injuries which may occur prior to, or during the progress of the sale, or at any time during the removal of the lots, which must be entirely at the Buyer's risk.

17. If before title to any lot has passed to the Buyer thereof, the Buyer, being an individual, dies, enters into a composition or arrangement for the benefit of his creditors or has a Receiving Order in Bankruptcy made against him or, being a body corporate, has an Administrator, a Receiver or a Receiver and Manager appointed or goes into liquidation or enters into a composition or arrangement for the benefit of its creditors, then the contract for sale of such lot shall be automatically and without notice rescinded unless the Auctioneer elects otherwise within 2 working days of written notice of such an event. Upon rescission, any deposit paid by the Buyer shall be forfeit and the Auctioneer shall be entitled to exercise the rights set out in Clause 6.

18. If a Buyer is permitted to take possession of any lot before the full sale price has been paid, the Seller and/or Auctioneer shall be entitled to enter upon any premises of the Buyer or under his control in order to repossess such lot.

19. If, before title passes to the Buyer under these Conditions, the Buyer nevertheless purports to resell or otherwise dispose of the lot or any interest therein, the Buyer shall hold the proceeds of such sale or other disposition upon trust for the Auctioneer and the Seller jointly until title passes to the Buyer under these Conditions, if at all, and in the meantime the Buyer shall not deal with, charge or dispose of such proceeds except with the written consent of the Seller or of the Auctioneer.

20. These Conditions shall be construed in accordance with and governed by Irish law.

21. The Buyer will pay the Buyer's premium as stated in the catalogue on the hammer price plus Value Added Tax at the standard rate. The premium is not negotiable and will be charged to all Buyers. The Buyer agrees that the Auctioneer when acting as agent for the Seller may also receive a commission from the Seller.
22. The Auctioneer and its agents act only as agents of the Seller and without personal liability.
23. All software is excluded from any lots sold.
24. Equipment Auctions Ltd t/a Eaucions reserves the right to bid on behalf of its clients.
25. This Auction is being conducted under Equipment Auctions Ltd t/a Eaucions, Current Irish Auctioneers License, No: 001190.

| <b>Lot</b> | <b>Description</b>   |
|------------|--|
| <b>1</b>   | Hoegger Alpina cutter with lifter for 200 litre meat bins and ejecter, type: PB 330 1150, machine number: 813083, 220/380 V, 107 kW, 150 bar, steel bowl, dimensions: 3400 mm x 2600 mm x 2500 mm.   |
| <b>2</b>   | Handtmann vacuum filling machine with lifter for 200 litre meat bins, type: VF300B, number: 2269-1, 400 V, 50 Hz, 9.5 kW, 23.6 A, 02163 working hours, filling, linking and portioning, dimensions: 1650 mm x 1550 mm x 2020 mm.   |
| <b>3</b>   | Poly-clip System GmbH&Co. KG double clipper, type: FCA 3441, dimensions: 1400 mm x 850 mm x 2000 mm. Including pallet with 4 boxes of clips, type: L 15-08 5x1.75L, 5.500 pieces per role, 10 roles per box.   |
| <b>4</b>   | Base Handling Products Limited lifter for 200 litre meat bins, model: BTM/250/1800/B, serial number: 064259, maximum capacity: 250 kg, elevating height: 2350 mm, total dimensions: 1200 mm x 850 mm x 3350 mm.  |
| <b>5</b>   | Formax forming machine, model: PFM-19, machine number: 437, belt width: 505 mm, total dimensions: 3550 mm x 1300 mm x 2680 mm. Including trolley with forms, dimensions forms: (10x) 50 mm x 30 mm dog bone form, (11x) 30 mm x 20 mm oval shaped, and (12x) 115 mm x 20 mm, dimensions trolley: 1150 mm x 600 mm x 1230 mm. |
| <b>6</b>   | S/s mesh belt, belt width: 600 mm, total dimensions: 1680 mm x 930 mm x 1140 mm.   |
| <b>7</b>   | Carnitech A/S lifter for 200 litre meat bins, type: L 25, number: 580400, year of construction: 1995, 3x 400 V, 50 Hz, 0.55 kW, 1.8 A, elevating height: 2200 mm, total dimensions: 1150 mm x 800 mm x 3200 mm.  |
| <b>8</b>   | Vemag Maschinenbau GmbH vacuum filling machine, model: Robby, number: 0439, 220-240 V / 400-460 V / 575 V, 3 Ph, 50/60 Hz, linking, portioning and filling, including linking attachment, total dimensions: 1350 mm x 880 mm x 1860 mm.  |
| <b>9</b>   | Plastic container with large amount of smoke sticks, square, dimensions: 20 mm x 3 mm x 980 mm and round, diameter: 5 mm, length: 1000 mm, dimensions container: 730 mm x 570 mm x 1050 mm.  |
| <b>10</b>  | Baader separator, type: 603-508, project number: 310234, year of construction: 2003, 400 V, 3 Ph, 50 Hz, 9.0 A, diameter perforations: 7 mm, dimensions hopper: 950 mm x 860 mm x 520 mm, belt width: 200 mm, total dimensions: 1640 mm x 1000 mm x 1640 mm.   |
| <b>11</b>  | S/s platform with stairs, dimensions platform: 650 mm x 500 mm, height: 1200 mm, total dimensions: 850 mm x 750 mm x 2320 mm.  |

|           |  |
|-----------|--|
| <b>12</b> | Risco S.P.A. vacuum filling machine with lifter for 200 litre meat bins, model: RS4001, serial number: Q397023, year of construction: 1998, 400 V, 3 Ph, 50 Hz, 6.3 kW, 24 A, 900 kg, filling and portioning, dimensions: 2060 mm x 1150 mm x 2250 mm.   |
| <b>13</b> | Ceia pipeline metal detector, model: THS/G, serial number: 20100220013, year of construction: 100 mm, total dimensions: 1080 mm x 460 mm x 1180 mm.  |
| <b>14</b> | Turbo Systems Ltd. Mobile depositor, type: D250P, machine number: D250P6510413, year of construction: 2015, dimensions hopper: 600 mm x 600 mm x 600 mm, total dimensions: 1180 mm x 850 mm x 1600 mm.   |
| <b>15</b> | IXIA mobile denester, dimensions trays: 165 mm x 120 mm, total dimensions: 1180 mm x 850 mm x 1600 mm.   |
| <b>16</b> | Sealpac traysealer, model: Sealpac 750, s/s infeed chain conveyor with dividers, distance between dividers: 175 mm, divider height: 20 mm, film width: 220 mm, dye: (5x) 155 mm x 135 mm, outfeed wire belt, belt width: 160 mm, total dimensions: 6100 mm x 750 mm x 1900 mm. Including 5 pallets with 40.000 trays and 13.000 meters of film.  |
| <b>17</b> | Lagarde retort for 5 trolleys, machine number: SA982, year of construction: 2001, 400 V, 50 Hz, 49/44 A, with Alfa-Laval heat exchanger, ZFTP, dimensions: 9000 mm x 2100 mm x 2650 mm. Including 3 complete sets of 5 trolleys with approximately 475 basket, dimensions trolley: (15x) 1250 mm x 650 mm x 1270 mm, dimensions baskets: (475x) 970 mm x 560 mm x 60 mm, Airpol air compressor, number: SO 3270213, year of construction: 2013, 190 m <sup>3</sup> /h, 18.5 kW, 8 bar, 370 kg, dimensions: 1250 mm x 700 mm x 1470 mm, Cordivari pressure vessel, number: 79092, year of construction: 2013, 11 bar, capacity: 500 litre, -10 °C - + 40 °C, dimensions: 600 mm x 600 mm x 1900 mm. |
| <b>18</b> | S/s frame used for hanging sausages, dimensions: 340 mm x 340 mm x 1140 mm.  |
| <b>19</b> | Talsa s/s bowl cutter with ejector, s/s bowl, dimensions bowl: 1000 mm x 1000 mm x 180 mm, total dimensions: 2220 mm x 1500 mm x 1700 mm.  |
| <b>20</b> | Freemantle cartoner, model: S11, year of construction: 07-2002, serial number: 02-131, 240 V, 1 Ph, 16 A, with denester, clearance: 165 mm x 150 mm, belt width: 200 mm, dimensions box: 350 mm x 130 mm x 150 mm, total dimensions: 4800 mm x 1250 mm x 1700 mm.  |
| <b>21</b> | Siat mobile box closing machine, model: S2, type: A, serial number: 7959, year of construction: 2003, 415 V, 3 Ph, 50 Hz, 260 W, maximum box size: 500 mm x 500 mm, belt speed: 22 m per minute, capacity: 800 boxes per hour, belt width: (2x) 75 mm and (1x) 195 mm, total dimensions: 2100 mm x 850 mm x 1600 mm.   |
| <b>22</b> | Multivac UK Ltd mobile double chamber vacuum machine, model: C500, serial number: 472, year of construction: 1997, 415 V, 3 Ph, 50 Hz, 8 kW, 22 A, seal length: (4x) 660 mm, dimensions chamber: 750 mm x 670 mm, with Busch vacuum pump, type: RA 0160 D 5Z1 QLXX, number: C0345000502, total dimensions: 1620 mm x 1060 mm x 1020 mm.  |

|           |   |
|-----------|---|
| <b>23</b> | Gravitation scale on s/s table, model: 315A1GBL, serial number: 6150090, last calibration: 09-11-2017, dimensions scale: 380 mm x 380 mm, total dimensions scale: 550 mm x 380 mm x 760 mm, dimensions s/s table: 610 mm x 510 mm x 620 mm.       |
| <b>24</b> | S/s table, dimensions: 1220 mm x 700 mm x 770 mm.   |
| <b>25</b> | Roller conveyor, steel and aluminium frame, plastic rollers, roller width: 430 mm, total dimensions: 3550 mm x 640 mm x 680 mm.   |
| <b>26</b> | Transport belt, s/s frame, plastic belt, belt width: 115 mm, total dimensions: 4950 mm x 550 mm x 1050 mm.  |
| <b>27</b> | S/s mesh belt, belt width: 600 mm, total dimensions: 2300 mm x 730 mm x 1640 mm.  |
| <b>28</b> | Hobart mixer-grinder, model: 4046 S, machine number: 31344 DM, 230/400 V, 3 Ph, 50 Hz, 1425 rpm, inside dimensions: 1150 mm x 800 mm x 650 mm, plate diameter: 150 mm, total dimensions: 2100 mm x 900 mm x 2000 mm. Technical condition unknown. |
| <b>29</b> | 33 plastic rollies, dimensions: (33x) 600 mm x 400 mm x 190 mm.   |
| <b>30</b> | Bag sealer, belt width: 200 mm, working width: 620 mm, on s/s frame, total dimensions: 1520 mm x 640 mm x 1200 mm.  |
| <b>31</b> | Treif-Maschinenfabrik GmbH with lifter for 200 litre meat bins, ID number 119-140, year of construction: 2002, dimensions chamber: 120 mm x 120 mm, total dimensions: 3600 mm x 1200 mm x 1650 mm. Including crate with extra grids.              |
| <b>32</b> | Cornelius cooler, model: 85 5834 OOG, serial number: 37 A 2802 XA 008, 230 V, 50 Hz, 10 A, R134a, 49 g, 100 W, inside dimensions: 280 mm x 220 mm x 280 mm, total dimensions: 380 mm x 380 mm x 710 mm.   |
| <b>33</b> | Cornelius cooler, model: 85 5834 OOG, 230 V, 50 Hz, 10 A, R134a, 49 g, 100 W, inside dimensions: 280 mm x 220 mm x 280 mm, total dimensions: 380 mm x 380 mm x 710 mm.  |
| <b>34</b> | Moreno gas heated grill, dimensions grill plate: 580 mm x 475 mm, total dimensions: 650 mm x 600 mm x 1050 mm.  |
| <b>35</b> | Ross Industries Inc tenderiser, model: TC700M, serial number: 4634WAM, year of construction: 1995, 380 VAC, 3 Ph, 50 Hz, 8.7 A, plastic and s/s rollers, roller width: 300 mm, total dimensions: 2700 mm x 650 mm x 1580 mm.                      |
| <b>36</b> | Europack traysealer, type: D2, 2 lanes, dye: (2x) 160 mm x 160 mm, roller width: 450 mm, total dimensions: 2750 mm x 900 mm x 1580 mm. Without vacuum pump.   |
| <b>37</b> | Turbo Tools (Hull) Ltd depositor, serial number: MDP754386 with mobile s/s hopper, dimensions hopper: 1200 mm x 680 mm x 600 mm, total dimensions: 1360 mm x 780 mm x 960 mm.   |
| <b>38</b> | Turbo Tools (Hull) Ltd depositor, serial number: MDP524385, with mobile s/s hopper, dimensions hopper: 1200 mm x 680 mm x 600 mm, total dimensions: 1360 mm x 780 mm x 960 mm.  |

|           |  |
|-----------|--|
| <b>39</b> | Henkelman mobile traysealer, type: Vortex, machine number: V1011027, year of construction: 2010, 400 V, 3 Ph, 50 Hz, 6 A, 4 kW, dye: (2x) 220 mm x 150 mm, with Busch vacuum pump, type: R5, total dimensions: 920 mm x 620 mm x 1500 mm.                                    |
| <b>40</b> | Treif mobile dicer, type: Junior, order number: 61385, 380 V, 3 kW, 6 A, dimensions chamber: 85 mm x 85 mm, total dimensions: 1050 mm x 680 mm x 1400 mm.  |
| <b>41</b> | Tipper Tie technopack mobile double clipper, type: KDCT 90, serial number: 2219.182, dimensions: 1100 mm x 700 mm x 1800 mm.   |
| <b>42</b> | Schad GmbH u. Co.KG mobile binding machine, type: E 85-1, number: 48, year of construction: 06.2007, dimensions: 860 mm x 670 mm x 1200 mm, with s/s table, dimensions: 920 mm x 430 mm, total dimensions: 1600 mm x 850 mm x 1250 mm.                                       |
| <b>43</b> | Sagi blast chiller, model: AF3S, serial number: 02707614201, year of construction: 2002, 400 V, 3 Ph, 50/60 Hz, 4.5/5 A, 2420/2500 W, refrigerant: R404A, 2 kg, 16 A, 10 floors, dimensions floor: 600 mm x 520 mm, total dimensions: 980 mm 960 mm x 1880 mm.               |
| <b>44</b> | S/s lifter for meat bins, elevating height: 2020 mm, total dimensions: 1150 mm x 500 mm x 2750 mm.   |
| <b>45</b> | Cambers Eng. Hammer mill, model: MG, serial number: 2004000997, year of construction: 2004, 3x 380 V, 50 Hz, 1.2 kW, 4 A, maximum temperature: 40 °C, 49 kg, clearance infeed: 205 mm, total dimensions: 620 mm x 500 mm x 980 mm.   |
| <b>46</b> | S/s cutter with ejector, 2 speeds, s/s bowl, dimensions: 900 mm x 900 mm x 140 mm, total dimensions: 1450 mm x 1250 mm x 1550 mm.  |
| <b>47</b> | Schröder mobile injector, type: IMAX 3501, number: 350E348.05, 400/440 V, 50/60 Hz, 8 kW, 16 A, s/s walking beam, width: 350 mm, clearance: 350 mm x 210 mm, 47 needles, total dimensions: 1520 mm x 850 mm x 1900 mm. Missing 3 needles.                                    |
| <b>48</b> | Fagor s/s cooking vessel, inside dimensions: 630 mm x 630 mm x 510 mm, total dimensions: 1040 mm x 850 mm x 1550 mm. Missing buttons, technical condition unknown.   |
| <b>49</b> | Plastic palletbox with large amount of round smoke sticks, diameter: 5 mm, length smoke sticks: 880 mm, dimensions palletbox: 1200 mm x 1000 mm x 750 mm.  |
| <b>50</b> | Henkelman mobile double chamber vacuum machine, type: Polar 2-95, machine number: HOP50100102, year of construction: 2015, 400 V, 3 Ph, 50 Hz, 20.5 A, 7 kW, seal length: (4x) 1100 mm, dimensions chamber: 1180 mm x 930 mm, total dimensions: 2550 mm x 1250 mm x 1200 mm. |
| <b>51</b> | Betcher Dyna-Form press, dimensions: 2750 mm x 750 mm x 2050 mm, with mobile hydraulic unit, dimensions: 1100 mm x 1150 mm x 930 mm.   |
| <b>52</b> | Mareno tiltable fryer, model: PR-4E, number: 120776, 380/220 V, 3 Ph, inside dimensions: 690 mm x 660 mm x 180 mm, total dimensions: 980 mm x 810 mm x 800 mm.   |
| <b>53</b> | Mobile chain conveyor, s/s frame, s/s chain with dividers, distance between dividers: 330 mm, divider height: 40 mm, maximum width product: 250 mm, total dimensions: 3450 mm x 680 mm x 1100 mm.  |



|           |  |
|-----------|--|
| <b>54</b> | Ross mobile tenderiser, model: TC700M, serial number: 1466WM, 415 VAC, 3 Ph, 50 Hz, 7.5 A, s/s belt, belt width: 290 mm, clearance: 290 mm x 150 mm, total dimensions: 2000 mm x 700 mm x 1550 mm.   |
| <b>55</b> | Wiegand Maschinenbau mobile ham press, model: 50E, number: 2301, year of construction: 2004, diameter chamber: 130 mm, length chamber: 440 mm, total dimensions: 1850 mm x 530 mm x 1150 mm.   |
| <b>56</b> | Treif Maschinenbau GmbH slicer, type: 1943, machine number: 194305.61549.0343, year of construction: 2000, 400/230 V, 50 Hz, 3.4 kW, 8.2/16 A, 305 kg, dimensions chamber: 240 mm x 240 mm, belt width: 240 mm, total dimensions: 2100 mm x 870 mm x 1600 mm.  |
| <b>57</b> | Prefered Packaging traysealer, model: Fire 500, serial number: 003/13, year of construction: 2013, 400 V, 50-60 Hz, film width: 435 mm, total dimensions: 3050 mm x 1050 mm x 1680 mm. Missing dyes, without vacuum pumps.   |
| <b>58</b> | Pak Automation Limited mobile transport belt, model: Filling conveyor, serial number: PK/15644, year of construction: 09-2998, s/s frame, plastic belt, belt width: 80 mm, total dimensions: 3100 mm x 700 mm x 1640 mm.   |
| <b>59</b> | Berkel slicer, diameter blade: 380 mm, total dimensions: 950 mm x 600 mm x 550 mm.   |
| <b>60</b> | S/s tilting device for palletboxes, maximum dimensions: 1000 mm x 1200 mm x 800 mm.  |
| <b>61</b> | Mobile elevating belt, s/s frame, plastic belt with dividers, belt width: 395 mm, distance between dividers: 310 mm, divider height: 30 mm, elevating height: 2600 mm, total dimensions: 3600 mm x 1300 mm x 2700 mm.  |
| <b>62</b> | Easiweigh mobile dosing unit with vibrating gutter, serial number: 30166, last calibrated: 09-11-2017, width gutter: 300 mm, total dimensions: 1600 mm x 1050 mm x 2600 mm.  |
| <b>63</b> | Multipak Packaging Machinery vertical bag forming, filling and sealing machine, model: Super 240, diameter filling pipe: 95 mm, vertical seal length: (1x) 315 mm, horizontal seal length: (2x) 220 mm, total dimensions: 1550 mm x 1050 mm x 1450 mm. Including 2 extra sets of filling pipers, diameter: 75 mm and 40 mm and 4 hoppers, diameter: 295 mm, 480 mm and 305 mm and hopper dimensions: 540 mm x 380 mm x 200 mm. |
| <b>64</b> | KG Lyften AB KG s/s tilting device for palletboxes, type: SK800HA90, number: 7190, maximum dimensions palletbox: 800 mm x 1100 mm x 860 mm, total dimensions: 1380 mm x 1650 mm x 1470 mm.   |
| <b>65</b> | Transport belt, s/s frame, plastic belt, belt width: 555 mm, total dimensions: 4150 mm x 1000 mm x 1320 mm.  |
| <b>66</b> | Elevating belt, s/s frame, plastic belt with dividers, belt width: 210 mm, distance between dividers: 350 mm, divider height: 40 mm, elevating height: 3950 mm, total dimensions: 5300 mm x 900 mm x 4100 mm.  |

|           |   |
|-----------|---|
| <b>67</b> | Ishida 14-heads multihead weigher, model: CCW-S-212, number: 14201, year of construction: 12-1988, 220 V, minimum weight: 25 g, maximum weight: 1000 g, foot control, dimensions: 1250 mm x 1250 mm x 2350 mm on steel platform, height: 2200 mm, dimensions platform: 2000 mm x 2700 mm, total dimensions: 2000 mm x 2700 mm x 3450 mm.        |
| <b>68</b> | Fischbein-Saxton Ltd sealing machine, machine number: 64897.1, 220/230 V, 1 Ph, 50 Hz, 13.5 A, with Fischbein-Saxton Ltd transport belt, serial number: 64897.2, year of construction: 01-03, seal length: 1400 mm, belt width: 190 mm, total dimensions: 2550 mm x 800 mm x 1450 mm.   |
| <b>69</b> | Safeline mobile metal detector, serial number: 45744, plastic belt, belt width: 570 mm, clearance: 605 mm x 240 mm, last calibrated: 20-6-2018, total dimensions: 2650 mm x 1200 mm x 1350 mm.  |
| <b>70</b> | Loma Systems metal detector, model: IQ, serial number: 1008B - 10027, year of construction: 1999, clearance: 550 mm x 330 mm, last calibrated: 20-06-2018, with ENE Ltd transport belt, type: M/D, serial number: 990323, year of construction: 24/04/99, plastic mesh belt, belt width: 500 mm, total dimensions: 2200 mm x 1140 mm x 1380 mm. |
| <b>71</b> | Elevating belt with dividers, s/s frame, plastic mesh belt, belt width: 365 mm, distance between dividers: 300 mm, divider height: 150 mm, elevating height: 1100 mm, total dimensions: 2000 mm x 620 mm x 120 mm.  |
| <b>72</b> | S/s table, dimensions: 1400 mm x 600 mm x 830 mm  |
| <b>73</b> | Mobile slicer, s/s frame, 3 plastic belts with dividers, belt width: 220 mm, distance between dividers: 400 mm, divider height: 100 mm, 4 knives, distance between knives: 235 mm, total dimensions: 2500 mm x 1050 mm x 1600 mm.   |
| <b>74</b> | S/s table, dimensions: 1550 mm x 600 mm x 570 mm  |
| <b>76</b> | Linx inkjet printer, type: 4000, dimensions: 630 mm x 460 mm x 250 mm. Defect.  |
| <b>77</b> | Rotronic portable water activity indicator, model: HygroPalm AW1, serial number: 61295432, last calibrated: 24-01-2018, dimensions: 70 mm x 20 mm x 260 mm, dimensions box: 400 mm x 260 mm x 100 mm.   |
| <b>78</b> | Hach Lange GmbH spectrophotomete, model: DR 2800, consisting of type: LTG082.01.21002, serial number: 10050C007, 115/230 V, 50/60 Hz, 600/900 VA, dimensions: 310 mm x 220 mm x 160 mm and p/n: 2PG422.99.00011, serial number: 1343361, 15 DC, 30 VA, dimensions: 320 mm x 220 mm x 120 mm.  |
| <b>79</b> | Ohaus Corporation moisture meter, model: MB23, serial number: B336756314, 100-120 V/200-240 V, 50/60 Hz, 3 A, maximum capacity: 110 g, readability: 0.01 g, last calibrated: 12-2015, dimensions: 270 mm x 165 mm x 140 mm.   |
| <b>80</b> | S/s boot cleaner, length brushes: (2x) 1450 mm, diameter small brushes: 450 mm, distance between brushes: 100 mm, total dimensions: 3850 mm x 1050 mm x 1350 mm.  |
| <b>81</b> | Ruston boiler, model: Thermax two, with Saacke Limited burner, type number: PDS35-225, serial number: VG6408, year of construction: 1995, 380 V, 3 Ph, 50 Hz, 6 A, fuel: natural gas, gas inlet: .2 bar, dimensions: 5000 mm x 2300 mm x 2650 mm.   |

|            |   |
|------------|---|
| <b>83</b>  | Plastic tank on steel frame, dimensions tank: 1100 mm x 1100 mm x 1900 mm, total dimensions: 1100 mm x 1460 mm x 2900 mm.   |
| <b>84</b>  | Goevec S.A double jacketed s/s tank, type: traitemwent, year of construction: 04-1980, capacity: 1000 L, total dimensions: 1400 mm x 1400 mm x 2770 mm.   |
| <b>85</b>  | Steel lifter for palletboxes, dimensions: 2700 mm x 1550 mm x 3600 mm.  |
| <b>86</b>  | Liffey Dockyard Ltd engineers steel hopper with steel screw, diameter screw: 450 mm, dimensions hopper: 3000 mm x 1500 mm x 1200 mm, total dimensions: 4800 mm x 1500 mm x 2000 mm.   |
| <b>87</b>  | Liffey Dockyard Ltd engineers steel hopper with steel screw, diameter screw: 450 mm, dimensions hopper: 3000 mm x 1500 mm x 1200 mm, total dimensions: 4800 mm x 1500 mm x 2000 mm.   |
| <b>88</b>  | Liffey Dockyard Ltd engineers steel hopper with steel screw, diameter screw: 450 mm, dimensions hopper: 3000 mm x 1500 mm x 1200 mm, total dimensions: 4800 mm x 1500 mm x 2000 mm.   |
| <b>89</b>  | Sturtevant Mill Co. Hinged hammer pulverer, type: 00, serial number: 820, dimensions: 1200 mm x 1300 mm x 1260 mm.  |
| <b>90</b>  | Steel hopper with screw, dimensions: 3800 mm x 1800 mm x 1800 mm.   |
| <b>91</b>  | Elevating belt with s/s hopper, dimensions hopper: 2100 mm x 1600 mm x 1100 mm, plastic belt with dividers, belt width: 550 mm, distance between dividers: 700 mm, divider height: 80 mm, elevating height: 2400 mm, total dimensions: 4800 mm x 1700 mm x 2500 mm.             |
| <b>92</b>  | Düker-Rex Maschinen GmbH&Co s/s cutter with ejecter, type: PK 100 SN, machine number: 28240, 380 V, 50 Hz, 4.6-6.1 A, 24-32 kW, 2940 U/min, total dimensions: 1950 mm x 1750 mm x 1850 mm, including pallet with switch cabinet, dimensions: 1200 mm x 600 mm x 200 mm. Defect. |
| <b>93</b>  | 7 s/s frames with rollerconveyors, roller width: (2x) 430 mm, total dimensions: (7x) 1950 mm x 1140 mm x 250 mm.  |
| <b>94</b>  | Various s/s frames for transport belts, total dimensions: 5800 mm x 1450 mm x 900 mm.   |
| <b>95</b>  | 10 steel smoke trolleys, 5 floors each, dimensions: (8x) 1410 mm x 1010 mm x 1900 mm and (2x) 1210 mm x 1010 mm x 1780 mm.  |
| <b>96</b>  | 11 steel smoke trolleys, 5 floors each, dimensions: (6x) 1010 mm x 1210 mm x 1780 mm and (5x) 1410 mm x 1010 mm x 1900 mm.  |
| <b>97</b>  | 11 steel smoke trolleys, 5 floors each, dimensions: (6x) 1010 mm x 1210 mm x 1780 mm and (5x) 1410 mm x 1010 mm x 1900 mm.  |
| <b>98</b>  | S/s transport belt, s/s frame, plastic belt, belt width: 415 mm, total dimensions: 6600 mm x 1200 mm x 2100 mm. Technical condition unknown.  |
| <b>99</b>  | 40 ft container, container number: YMLU 428905 RCX 4310, maximum GR weight: 30.480 kg, tare weight: 3.970 kg, capacity weight: 26.510 kg, CU capacity: 67.7 CU.M.   |
| <b>100</b> | TVH parts NV palletlifter, type: HPT-A, serial number: 15041395M-1/076, year of construction: 2015, maximum capacity: 2500 kg, weight: 65 kg, fork length: 1150 mm, fork width: 640 mm. Defect.   |

|            |   |
|------------|---|
| <b>101</b> | Palletlifter, fork length: 1150 mm, distance between forks: 680 mm. Missing one wheel.  |
| <b>102</b> | S/s turning table with plastic top, diameter top: 1200 mm, total dimensions: 1250 mm x 1250 mm x 600 mm. Defect.  |
| <b>103</b> | 9 steel trolleys, 18-20 floors, dimensions trolley: 820 mm x 750 mm x 1840 mm, with approximately 150 plates, dimensions plate: 820 mm x 680 mm.  |
| <b>104</b> | 9 steel trolleys, 18-20 floors, dimensions trolley: 820 mm x 750 mm x 1840 mm, with approximately 160 plates, dimensions plate: 820 mm x 680 mm.  |
| <b>105</b> | 15 steel trolleys, 18-20 floors, dimensions trolley: 820 mm x 750 mm x 1840 mm, with approximately 275 plates, dimensions plate: 820 mm x 680 mm.   |
| <b>106</b> | 22 steel trolleys, 18-20 floors, dimensions trolley: 820 mm x 750 mm x 1840 mm, with approximately 375 plates, dimensions plate: 820 mm x 680 mm.   |
| <b>107</b> | 15 steel trolleys, 18-20 floors, dimensions trolley: 820 mm x 750 mm x 1840 mm, with approximately 275 plates, dimensions plate: 820 mm x 680 mm.   |
| <b>108</b> | TVH parts NV pallet lifter, type: HPT-A, serial number: 15041395M-1/075, year of construction: 2015, capacity: 2500 kg, weight: 65 kg, fork length: 1150, distance between forks: 650 mm. |
| <b>109</b> | 5 s/s smoke trolleys, 6 floors, dimensions: (5x) 1000 mm x 980 mm x 1980 mm.  |
| <b>110</b> | 5 s/s smoke trolleys, 6 floors, dimensions: (5x) 1000 mm x 980 mm x 1980 mm.  |
| <b>111</b> | 5 s/s smoke trolleys, 6 floors, dimensions: (5x) 1000 mm x 980 mm x 1980 mm.  |
| <b>112</b> | 5 s/s smoke trolleys, 6 floors, dimensions: (5x) 1000 mm x 980 mm x 1980 mm.  |
| <b>113</b> | S/s smoke trolley, 8 floors, dimensions: 1050 mm x 1000 mm x 1920 mm.   |
| <b>114</b> | Stephan mobile microcutter, dimensions hopper: 1070 mm x 900 mm x 410 mm, total dimensions: 2300 mm x 1700 mm x 1050 mm. Missing knives and plates.                                       |
| <b>115</b> | AMB mobile paddle mixer-grinder, inside dimensions: 750 mm x 680 mm x 500 mm, plate diameter: 130 mm, total dimensions: 1150 mm x 1050 mm x 1820 mm.                                      |
| <b>116</b> | S/s mixer, inside dimensions: 1130 mm x 920 mm x 800 mm, with Ecltop Motor, 0.75-9 kW, total dimensions: 1200 mm x 1000 mm x 1800 mm.   |
| <b>117</b> | Shredder with Zhen Zhou Desheng Xiang Motor Manufacture Co. Ltd. motor, type: Y180 M-4, 380 V, 18.5 kW, 1470 rpm, dimensions: 1500 mm x 950 mm x 1400 mm.                                 |
| <b>119</b> | S/s floor weighing scale, dimensions scale: 750 mm x 750 mm, total dimensions: 1000 mm x 1050 mm.   |